




INCO – Module Construction & Installation Manual.

INCO - Inline Wardrobe Construction




- Standard Inline wardrobe depth to be 600mm
 NS option from 580 to 630.
- Wardrobe Std height is 2100mm. NS option from 1800 to 2300mm
- All the wardrobe internals are to be recessed by 85mm to accommodate the Inline Channels.
- Drawer Construction remains the same as per earlier construction guidelines.
- Consider 70mm filler towards the Sliding overlap.
- A partition panel is mandatory If the carcass's internal space is more than 900mm.
- Drawers beyond 900mm should have partition panels.

EBCO BRAND

HI SLIDE 90 DOME TRACK SOFT CLOSE FOR TOP & BOTTOM. – 2 Doors




HI SLIDE 50 REVERSIBLE SOFT CLOSE FOR TOP & BOTTOM. – 3 Doors






INCO – Inline Wardrobe Construction



INCO – Inline Wardrobe Construction

HI SLIDE 90 DOME TRACK SOFT CLOSE FOR TOP & BOTTOM. – 2 Doors




Al. Profile Hi Slide 90 Twin Track -Top

Al. Profile Hi Slide DomeTwinTrack-Bottom (for HS-90 & HS-45)


Al. Profile for Wardrobe Sliding Partition -19mm -Special Finish

WSP-19-3M-SF/AG

HI SLIDE 50 REVERSIBLE SOFT CLOSE FOR TOP & BOTTOM. – 3 Doors



Middle Partition Profile




Al. Profile for Wardrobe Sliding Partition -19mm -Special Finish

WSP-19-3M-SF/AG


Handle & Side Profile







WS-E19-3M-SF/AG



Al. Profile Handle for Wardrobe Sliding -19mm - SpecialFinish

WS-H19-3M-SF/AG







Thank You